

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Q5B249
A3


USDA
NAT'L AGRIC LIBRARY

JUN 27 P 12:03

CURRENT SECT. LIBRARY
ACQ. SEC.

COTTON VARIETIES PLANTED

1999 CROP



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Programs
Memphis, Tennessee

August 1999

Cotton Varieties Planted, United States 1999 Crop

Deltapine brand upland cottonseed was the most popular planted in the United States for the 1999-2000 season, according to the USDA, Agricultural Marketing Service's Cotton Programs. Paymaster brand was the second most popular followed by Stoneville, Sure-Grow, CPCSD, Assoc. Farmers Delinting, and All-Tex. Transgenic varieties accounted for about 60 percent of plantings.

Deltapine brand varieties were the most popular planted in 1999, accounting for 43.1 percent of the United States acreage. This brand accounted for 67.5 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina and Virginia). It accounted for 43.4 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri and Tennessee), 28.9 percent of the acreage planted in the southwestern states (Oklahoma and Texas) and 35.4 percent in the western states (Arizona, California and New Mexico). Deltapine's most popular variety was Deltapine NuCOTN 33 B. This variety accounted for 8.4 percent of the United States acreage planted.

Paymaster brand varieties were the second most popular planted in 1999, accounting for 28.9 percent of the United States acreage. These varieties accounted for 55.8 percent of the acreage planted in the southwestern states, 13.8 percent in the south central states and 10.3 percent in the southeastern states. The most popular Paymaster variety was Paymaster PM 2326 RR, accounting for 7.3 percent of the U.S. acreage followed by Paymaster HS 26 with 5.4, Paymaster PM 2200 RR with 4.8 percent, and Paymaster PM 1220 BG/RR with 4.2 percent of the acreage.

Stoneville varieties were the third most popular planted in 1999. These varieties accounted for 12.7 percent of the acreage planted. They accounted for 31.7 percent of the acreage planted in the south central states, 10.4 percent of the acreage in the southeastern states, 4.0 percent in the western states and 3.1 percent in the southwestern states. The most popular Stoneville variety was Stoneville BXN 47, which accounted for 7.3 percent of the United States acreage planted.

Sure-Grow varieties were the fourth most popular planted in 1999. These varieties accounted for 5.5 percent of the U.S. acreage and accounted for 10.5 percent of the south central states planted acreage, 7.5 percent in the southeastern states, and 4.2 percent in the western states.

CPCSD (California Planting Cotton Seed Distributors) varieties were the next most popular and accounted for 2.9 percent of the U.S. acreage planted in 1999. CPCSD varieties were the most popular planted in the western states, accounting for 41.2 percent of that acreage.

Transgenic varieties, genetically engineered varieties resistant to worms, herbicides or both, accounted for about 60.4 percent of the upland cotton planted in the United States in 1999.

Pima S-7 was the most popular American Pima variety planted in 1999. This variety accounted for 40.5 percent of the United States acreage and was the most popular variety planted in Arizona and California. Phytogen 57 Pima was the second most popular American Pima variety and accounted for 20.4 percent of the U.S. crop. Pima S-6 was the next most popular variety planted in New Mexico and Texas and accounted for 11.4 percent of the U.S. crop. Germain's CH 252 accounted for 7.4 percent of the U.S. acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1999 are based on informal surveys made by the Cotton Program Classing Offices. The variety data are based on estimates furnished by cotton ginners for the territories served by their gins, seed dealers, extension agents, and others.

Estimated percentage of upland cotton planted to leading specified varieties, by growth area, 1999 crop

| | | | | | | | |
|---------------|--------------------------|--------------------------|-----------------------------|-------------------------------|--------------------------|----------------------------|-----------------------------|
| Southeastern | DELTAPINE DP 458 B/RR | DELTAPINE DP 655 B/RR | DELTAPINE NuCOTN 33 B | DELTAPINE DP 5415 RR | DELTAPINE DP 5690 RR | PAYMASTER PM 1220 BG/RR | STONEVILLE BXN 47 |
| | 13.97 | 12.42 | 7.64 | 5.12 | 5.02 | 5.00 | 4.41 |
| South Central | STONEVILLE BXN 47 | DELTAPINE NuCOTN 33 B | STONEVILLE ST 474 | PAYMASTER PM 1220 BG/RR | DELTAPINE DP 20 B | SURE-GROW 125 | DELTAPINE DP 458 B/RR |
| | 22.11 | 17.46 | 8.89 | 8.25 | 4.19 | 4.14 | 3.44 |
| Southwest | PAYMASTER PM 2326 RR | PAYMASTER HS 26 | PAYMASTER PM 2200 RR | DELTAPINE 50 | PAYMASTER HS 200 | DELTAPINE DP 2379 | DELTAPINE Acala 90 |
| | 18.10 | 13.45 | 11.89 | 5.13 | 4.51 | 2.38 | 2.28 |
| West | CPCSD Acala MAXXA | DELTAPINE NuCOTN 33 B | CPCSD Acala GTO MAXXA | DELTAPINE DP 6211 Acala | DELTAPINE NuCOTN 35 B | STONEVILLE BXN 47 | PHYTOGEN PHY 33 Acala |
| | 29.64 | 13.27 | 9.74 | 3.87 | 3.35 | 2.56 | 2.47 |
| United States | DELTAPINE NuCOTN 33 B | STONEVILLE BXN 47 | PAYMASTER PM 2326 RR | PAYMASTER HS 26 | DELTAPINE DP 458 B/RR | PAYMASTER PM 2200 RR | PAYMASTER PM 1220 BG/RR |
| | 8.36 | 7.55 | 7.29 | 5.42 | 4.85 | 4.79 | 4.23 |

Estimated percentage of upland cotton planted to leading specified brands, by growth areas, 1999 crop

| | | | | | | | |
|---------------|-----------|------------|--------------------------------|------------|----------|--------------------------------|-------------------------------|
| Southeastern | DELTAPINE | STONEVILLE | PAYMASTER | SURE-GROW | AGREVO | AGRIPRO | PHYTOGEN |
| | 67.53 | 10.39 | 10.25 | 7.47 | 2.50 | 1.35 | 0.20 |
| South Central | DELTAPINE | STONEVILLE | PAYMASTER | SURE-GROW | AGREVO | AGRIPRO | PHYTOGEN |
| | 43.40 | 31.70 | 13.80 | 10.50 | 0.35 | 0.14 | 0.03 |
| Southwestern | PAYMASTER | DELTAPINE | ASSOC. FARMERS DELINTING | STONEVILLE | ALL-TEX | TAMCOT | SURE-GROW |
| | 55.80 | 28.92 | 3.53 | 3.05 | 2.42 | 1.88 | 1.14 |
| West | CPCSD | DELTAPINE | SURE-GROW | STONEVILLE | PHYTOGEN | ACALA | BUTTON- WILLOW RESEARCH |
| | 41.20 | 35.40 | 4.21 | 3.98 | 2.47 | 2.15 | 1.98 |
| United States | DELTAPINE | PAYMASTER | STONEVILLE | SURE-GROW | CPCSD | ASSOC. FARMERS DELINTING | ALL-TEX |
| | 43.19 | 28.88 | 12.74 | 5.52 | 2.89 | 1.42 | 0.97 |

August 11, 1999

Table 1. Continued

| Variety | | AL | AZ | AR | CA | FL | GA | LA | MS | MO | NM | NC | OK | SC | TN | TX | VA | UNITED STATES 1/ |
|---------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------|
| Deltapine | DP 6211 Acala | - | - | - | 5.69 | - | - | - | - | - | - | - | - | - | - | - | - | 0.27 |
| | DP 237 B | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | DP 388 | - | - | 0.11 | - | - | - | - | - | 0.45 | - | - | - | - | 0.11 | - | - | - |
| | DP 409 B/RR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | DP 422 B/RR | - | - | - | - | - | - | - | 0.93 | - | - | - | - | - | - | - | - | 0.09 |
| | DP 425 RR | 0.53 | - | 0.30 | - | 3.53 | - | - | 0.40 | 0.09 | - | 1.56 | - | - | 0.39 | 0.47 | 6.63 | 0.45 |
| | DP 428 B | 0.12 | 1.67 | 3.32 | - | 3.19 | 0.80 | - | 2.37 | 0.37 | - | 0.21 | - | - | - | - | 1.96 | 0.64 |
| | DP 429 RR | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.55 | - | - | - |
| | DP 436 RR | 1.21 | 0.17 | 0.42 | - | 0.47 | 0.25 | - | 0.78 | 1.68 | - | 4.65 | - | - | 1.70 | 1.06 | - | 0.99 |
| | DP 448 B | - | - | - | 0.07 | - | - | - | 0.95 | - | - | - | - | - | - | - | - | 0.08 |
| | DP 450 B/RR | 1.12 | - | - | - | - | 0.06 | - | 0.37 | - | - | - | - | - | 0.84 | - | - | 0.13 |
| | DP 451 B/RR | - | - | 0.22 | - | - | - | - | 4.79 | - | - | - | - | - | 0.07 | - | - | 0.42 |
| | DP 458 B/RR | 17.72 | 1.18 | 0.15 | 0.80 | 21.05 | 11.73 | 8.66 | 6.33 | - | 0.95 | 6.62 | - | 41.62 | - | 0.71 | 1.31 | 4.85 |
| | DP 655 B/RR | 6.15 | 0.31 | - | - | 6.38 | 16.80 | 0.70 | - | - | 0.95 | 4.16 | 6.19 | 31.40 | - | 0.67 | - | 3.57 |
| | DP 688 B/RR | - | 0.76 | - | - | - | 2.16 | - | - | - | - | - | - | 0.10 | - | - | - | 0.28 |
| | 20 | 0.52 | 0.91 | 2.16 | - | - | 0.13 | - | 0.28 | 1.03 | - | - | - | - | 1.72 | 0.67 | - | 0.60 |
| | DP 20 B | - | 5.51 | 2.17 | 0.18 | - | 0.18 | 6.60 | 5.83 | 0.46 | - | - | 7.00 | 0.05 | 4.51 | 0.73 | - | 1.65 |
| | DP 32 B | 0.85 | 1.15 | - | 0.68 | - | 1.04 | 5.60 | 0.53 | - | - | - | 5.82 | 0.07 | 0.31 | 0.14 | - | 0.66 |
| | 50 | 0.21 | 2.17 | 0.54 | - | - | 0.31 | - | 0.31 | 5.85 | - | - | - | - | 1.79 | 5.34 | - | 2.46 |
| | DP 50 B | 0.09 | 0.97 | 0.15 | - | - | 0.29 | 4.20 | 0.66 | - | - | 0.49 | - | 0.10 | 3.59 | 0.95 | 0.66 | 0.85 |
| | 51 | 1.59 | 0.13 | 2.92 | - | 1.12 | 0.67 | - | 0.08 | 15.40 | - | 2.28 | - | 0.15 | 0.90 | 1.01 | 9.17 | 1.45 |
| | DP 90 B | 2.98 | 1.70 | - | 0.09 | 1.76 | 3.60 | 2.80 | - | - | 3.32 | - | - | - | - | 0.66 | - | 0.98 |
| | DP 90 RR | - | 2.71 | - | - | 1.27 | 7.06 | - | - | - | - | 0.19 | - | 2.44 | - | 0.07 | 3.93 | 0.99 |
| | DPX 9825 RR | - | - | 0.33 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | NuCOTN 33 B | 23.22 | 31.19 | 8.21 | 6.06 | 20.17 | 6.78 | 35.73 | 29.46 | - | 8.01 | 0.24 | - | 0.44 | 0.87 | 1.97 | 1.05 | 8.36 |
| | NuCOTN 35 B | 10.13 | 9.32 | - | - | 4.48 | 4.56 | - | - | - | 14.34 | 0.68 | - | 0.54 | - | 0.66 | 0.26 | 1.52 |
| | DP 410 B | - | - | 0.05 | - | - | - | - | - | - | - | - | - | - | 0.36 | - | - | - |
| | DP 5409 B/RR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.20 | - | 0.08 |
| Deltapine | TOTAL | 75.10 | 70.06 | 26.09 | 20.92 | 77.03 | 77.91 | 73.10 | 54.43 | 30.25 | 27.58 | 38.99 | 24.50 | 86.93 | 27.91 | 29.23 | 41.31 | 43.07 |
| Dunn | 400 | - | - | - | - | - | - | - | - | - | 4.11 | - | - | - | - | - | - | - |
| G & P | GP 1005A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| G & P | GP 74+ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| G & P | TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Germain's | Acala GC-204 | - | - | - | 0.06 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Germain's | Acala GC-251 | - | - | - | 0.09 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Germain's | Acala GC-500 | - | - | - | 0.95 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Germain's | Acala GC-510 | - | - | - | 0.89 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Germain's | Acala GC-535 | - | - | - | 0.63 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Germain's | TOTAL | - | - | - | 2.62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Holland | 186 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.06 | - | - |
| Hyperformer | HS 23 | - | - | - | - | - | - | - | - | - | - | 0.38 | - | - | - | - | - | - |
| Levelland Delinting | GOK-0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Paymaster | H1215 | - | - | - | - | - | - | - | - | - | 0.95 | - | - | - | - | - | - | - |
| Paymaster | PM 1215 BG | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.23 | - | - | 0.09 |
| Paymaster | PM 1215 RR | - | - | - | - | - | 0.15 | - | - | - | - | - | - | - | 1.06 | - | - | 0.06 |
| Paymaster | H1220 | - | - | 1.37 | - | - | - | - | 0.12 | 0.13 | - | - | - | 0.07 | 0.53 | 0.05 | - | 0.16 |
| Paymaster | PM 1220 BG | - | - | 0.96 | - | - | 0.21 | - | 0.13 | - | - | 1.71 | - | - | 0.73 | 0.09 | - | 0.27 |
| Paymaster | PM 1220 BG/RR | 10.70 | - | 0.57 | - | 6.29 | 1.22 | 0.85 | 6.86 | - | - | 8.71 | 28.15 | 3.20 | 40.84 | 0.80 | 5.89 | 4.23 |
| Paymaster | PM 1220 RR | 0.09 | - | 0.44 | - | 0.52 | 0.70 | - | 0.07 | 0.81 | - | 3.04 | - | - | 6.59 | 0.72 | 7.05 | 0.92 |
| Paymaster | PM 1244 BG | - | - | - | - | 0.44 | 0.09 | - | - | - | - | - | - | - | - | - | - | - |
| Paymaster | PM 1244 BG/RR | - | - | 1.60 | - | - | 0.18 | - | - | 0.21 | - | 4.53 | - | - | - | - | - | 0.41 |

Table 1. Continued

| Variety | | AL | AZ | AR | CA | FL | GA | LA | MS | MO | NM | NC | OK | SC | TN | TX | VA | UNITED STATES 1/ |
|---------------------------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------------|
| South Texas Planting Seed | Texas 224 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.58 | - | 0.22 |
| South Texas Planting Seed | Texas 300 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.06 | - | * |
| South Texas Planting Seed | Texas 121 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | * | - | * |
| South Texas Planting Seed | TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.66 | - | 0.27 |
| Stoneville | BXN 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.38 | - | 0.15 |
| Stoneville | BXN 47 | * | 1.91 | 41.27 | 2.99 | 0.71 | 2.33 | 8.68 | 15.03 | 29.87 | - | 12.63 | 0.71 | 1.03 | 10.26 | 0.63 | 11.17 | 7.55 |
| Stoneville | BXN 57 | - | - | - | - | - | - | - | - | - | - | 0.75 | - | 0.17 | - | 0.09 | - | 0.08 |
| Stoneville | BG 4740 | 0.40 | 0.05 | - | - | 1.76 | 0.71 | - | - | - | - | - | - | - | - | - | - | 0.11 |
| Stoneville | KC 311 | 0.59 | 0.28 | - | - | - | 0.15 | - | - | - | - | - | - | - | - | - | - | * |
| Stoneville | LA 887 | - | - | 0.16 | - | - | * | 3.00 | - | - | - | 0.68 | - | - | - | 0.08 | - | 0.22 |
| Stoneville | SBX 016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.07 | - | * |
| Stoneville | ST 132 | - | 0.30 | - | - | 0.71 | 0.09 | - | - | - | - | - | 0.13 | - | - | 0.94 | - | 0.39 |
| Stoneville | ST 373 | - | - | - | - | - | * | - | - | - | - | 1.81 | - | - | 0.45 | 0.09 | 2.13 | 0.18 |
| Stoneville | ST 474 | 4.44 | 3.43 | 12.84 | 0.45 | 0.73 | 2.74 | 5.60 | 6.67 | 18.61 | - | 8.15 | 2.90 | 1.37 | 2.75 | 0.61 | 11.32 | 3.89 |
| Stoneville | 139 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | * | - | * |
| Stoneville | ST 453 | 0.27 | - | - | - | - | 0.12 | 0.30 | - | - | - | - | - | - | - | 0.05 | - | * |
| Stoneville | ST 239 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | * |
| Stoneville | ST 324 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | * |
| Stoneville | TOTAL | 5.70 | 5.96 | 54.27 | 3.44 | 3.91 | 6.15 | 17.58 | 21.70 | 48.48 | - | 24.02 | 3.74 | 2.57 | 13.46 | 2.58 | 24.62 | 12.57 |
| Sure-Grow | 105 | - | - | - | - | - | - | - | 1.00 | - | - | - | - | - | - | - | - | 0.08 |
| Sure-Grow | 125 | 2.99 | 4.95 | 4.02 | 0.24 | 4.54 | 3.01 | - | 3.28 | 16.80 | - | 2.76 | - | 0.63 | 1.68 | 1.00 | 6.91 | 2.35 |
| Sure-Grow | SG125R | - | - | 0.71 | - | - | - | - | - | - | - | - | - | - | - | * | - | 0.06 |
| Sure-Grow | SG125B | - | - | 0.35 | - | - | - | 2.30 | 0.31 | - | - | - | - | - | - | - | - | 0.16 |
| Sure-Grow | SG125B/R | 1.34 | 2.00 | 0.19 | 0.09 | - | 0.77 | - | 2.56 | - | - | 6.52 | - | 3.75 | - | * | 2.36 | 0.92 |
| Sure-Grow | 180 | - | - | - | - | - | 0.29 | - | - | - | - | - | - | - | - | - | - | * |
| Sure-Grow | 248 | - | 0.15 | - | - | - | 0.41 | - | - | - | - | - | - | - | - | - | - | 0.05 |
| Sure-Grow | 501 | 0.50 | 0.51 | 0.88 | 1.12 | - | 1.17 | 1.80 | 1.22 | 1.96 | - | 0.37 | - | 0.88 | - | - | 4.58 | 0.60 |
| Sure-Grow | SG501B/R | - | - | 0.20 | 0.11 | - | - | - | 1.41 | - | - | - | - | - | 2.42 | - | - | 0.23 |
| Sure-Grow | SG585B | - | - | - | - | - | - | - | 0.08 | - | - | - | - | - | - | - | - | * |
| Sure-Grow | SG585R | - | - | - | - | - | 0.09 | - | - | 0.07 | - | 0.44 | - | - | - | - | 0.08 | * |
| Sure-Grow | 747 | 0.62 | 1.24 | 2.68 | 0.41 | - | - | - | - | 0.52 | - | 0.08 | - | - | 0.18 | 0.07 | - | 0.73 |
| Sure-Grow | 821 | - | 1.28 | - | 0.05 | - | 0.07 | 1.00 | - | - | - | - | - | - | - | 0.08 | - | 0.11 |
| Sure-Grow | 1001 | - | - | - | - | 1.06 | 0.68 | - | - | - | - | - | - | 0.06 | - | - | - | 0.09 |
| Sure-Grow | DES-119 | - | - | - | - | - | 0.37 | - | - | - | - | - | - | - | - | - | - | * |
| Sure-Grow | 404 | - | 0.16 | - | - | - | 0.18 | - | - | - | - | - | - | - | - | - | - | * |
| Sure-Grow | TOTAL | 5.45 | 10.29 | 9.04 | 2.02 | 5.60 | 7.06 | 6.20 | 14.04 | 19.35 | - | 10.18 | 0.00 | 5.31 | 4.28 | 1.15 | 13.93 | 5.46 |
| TAMCOT | CAB-CS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.61 | - | 0.24 |
| TAMCOT | SP21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | * | - | * |
| TAMCOT | SPINX | - | - | - | - | - | - | - | - | - | - | - | 14.02 | - | - | 0.78 | - | 0.50 |
| TAMCOT | TOTAL | - | - | - | - | - | - | - | - | - | - | - | 14.02 | - | - | 1.50 | - | 0.78 |
| Terra | 292 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.11 | 0.06 | - | * |
| United Agric. Products | UAP 201 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | * | - | * |
| United Agric. Products | UAP 205 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | * | - | * |
| United Agric. Products | TOTAL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MISCELLANEOUS | MISC | 0.84 | 7.79 | 0.05 | 2.59 | 0.39 | 0.16 | 0.17 | 0.15 | - | 4.10 | - | 1.50 | - | 0.07 | 1.27 | - | 0.89 |
| TOTAL | | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 |

1/ Includes Kansas. * Less than 0.05 percent. NOTE: Totals may not add due to rounding.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Paymaster HS 200 | Deltapine Acala 90 | Paymaster PM 2200 RR | Paymaster PM 2326 RR | Paymaster PM 1220 BG/RR | Deltapine DP 5690 | Paymaster HS 26 | Deltapine NuCOTN 33 B | TAMCOT SPINX | Deltapine DP 655 B/RR | Deltapine DP 436 RR | Deltapine DP 5415 RR | OTHER | TOTAL |
|-----------------|---------------------|-----------------------|-------------------------|-------------------------|-------------------------------|----------------------|--------------------|-----------------------------|-----------------|-----------------------------|------------------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| OKLAHOMA | 0.17 | 0.00 | 11.69 | 10.65 | 28.15 | 0.47 | 1.22 | 0.00 | 14.02 | 6.19 | 0.00 | 0.00 | 27.46 | 100.00 |
| TEXAS | 10.74 | 10.38 | 7.07 | 7.33 | 3.48 | 6.78 | 6.11 | 5.71 | 3.15 | 2.29 | 2.96 | 2.79 | 31.21 | 100.00 |
| OFFICE TOTAL 1/ | 9.01 | 8.68 | 8.24 | 7.63 | 6.87 | 5.73 | 5.29 | 4.78 | 4.61 | 2.79 | 2.48 | 2.33 | 31.56 | 100.00 |

NOTE: Totals may not add due to rounding. 1/ includes a small volume in Kansas.

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Deltapine NuCOTN 33 B | Deltapine DP 458 B/RR | Paymaster PM 1220 BG/RR | Deltapine NuCOTN 35 B | Deltapine DP 655 B/RR | Stoneville ST 474 | Deltapine DP 5690 | Sure-Grow 125 | Deltapine DP 5415 | Deltapine DP 90 B | Deltapine 51 | Deltapine DP 5415 RR | OTHER | TOTAL |
|--------------|-----------------------------|--------------------------|-------------------------------|-----------------------------|-----------------------------|----------------------|----------------------|------------------|----------------------|----------------------|-----------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| ALABAMA | 23.22 | 17.72 | 10.70 | 10.13 | 6.15 | 4.44 | 4.18 | 2.99 | 3.31 | 2.98 | 1.59 | 0.95 | 11.64 | 100.00 |
| FLORIDA | 20.27 | 32.53 | 7.00 | 1.47 | 9.87 | 1.13 | 0.00 | 5.93 | 1.80 | 0.00 | 1.73 | 5.20 | 13.07 | 100.00 |
| OFFICE TOTAL | 22.96 | 19.03 | 10.37 | 9.36 | 6.48 | 4.14 | 3.81 | 3.25 | 3.18 | 2.72 | 1.60 | 1.33 | 11.77 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Deltapine 50 | Deltapine 51 | Sure-Grow 125 | Deltapine DP 5415 RR | Paymaster PM 1220 RR | Deltapine NuCOTN 33 B | South Texas Planting Seed Texas 224 | Stoneville ST 474 | Deltapine 20 | Deltapine DP 425 RR | Deltapine DP 20 B | Deltapine DP 50 B | OTHER | TOTAL |
|-------|-----------------|-----------------|------------------|-------------------------|-------------------------|-----------------------------|---|----------------------|-----------------|------------------------|----------------------|----------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| TEXAS | 31.62 | 5.69 | 5.25 | 5.03 | 4.48 | 3.89 | 3.64 | 3.52 | 3.40 | 3.15 | 2.98 | 2.92 | 24.43 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Deltapine NuCOTN 33 B | Stoneville BXN 47 | Stoneville ST 474 | Deltapine DP 20 B | Sure-Grow 747 | Paymaster PM 1220 BG/RR | Deltapine DP 458 B/RR | Deltapine DP 451 B/RR | Deltapine DP 428 B | Sure-Grow 125 | Sure-Grow SG125B/R | Sure-Grow 501 | OTHER | TOTAL |
|--------------|-----------------------------|----------------------|----------------------|----------------------|------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------|------------------|-----------------------|------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| ARKANSAS | 19.52 | 27.27 | 8.52 | 4.91 | 5.49 | 0.99 | 0.00 | 0.54 | 6.61 | 3.89 | 0.46 | 1.87 | 19.93 | 100.00 |
| MISSISSIPPI | 27.52 | 15.68 | 7.26 | 5.84 | 4.62 | 6.31 | 6.35 | 5.27 | 2.62 | 3.44 | 2.83 | 1.34 | 10.93 | 100.00 |
| OFFICE TOTAL | 25.22 | 19.02 | 7.62 | 5.57 | 4.87 | 4.78 | 4.52 | 3.91 | 3.77 | 3.57 | 2.15 | 1.49 | 13.52 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Deltapine DP 458 B/RR | Deltapine DP 655 B/RR | Stoneville BXN 47 | Deltapine DP 5415 RR | Paymaster PM 1220 BG/RR | Stoneville ST 474 | Sure-Grow SG125B/R | Deltapine DP 5690 RR | Deltapine DP 436 RR | Paymaster PM 1244 BG/RR | Paymaster PM 1220 RR | AgrEvo FiberMax 989 | OTHER | TOTAL |
|----------------|--------------------------|--------------------------|----------------------|-------------------------|-------------------------------|----------------------|-----------------------|-------------------------|------------------------|-------------------------------|-------------------------|---------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| NORTH CAROLINA | 6.62 | 4.16 | 12.63 | 8.54 | 8.71 | 8.15 | 6.52 | 4.55 | 4.65 | 4.53 | 3.04 | 3.89 | 24.01 | 100.00 |
| SOUTH CAROLINA | 41.62 | 31.40 | 1.03 | 5.20 | 3.20 | 1.37 | 3.75 | 2.54 | 0.00 | 0.00 | 0.00 | 0.00 | 9.89 | 100.00 |
| VIRGINIA | 1.31 | 0.00 | 11.17 | 3.27 | 5.89 | 11.32 | 2.36 | 2.62 | 0.00 | 0.00 | 7.05 | 0.00 | 55.01 | 100.00 |
| OFFICE TOTAL | 14.82 | 10.54 | 9.64 | 7.27 | 7.11 | 6.74 | 5.48 | 3.89 | 3.11 | 3.03 | 2.63 | 2.60 | 23.16 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Paymaster PM 2326 RR | Paymaster HS 26 | Paymaster HS 200 | Deltapine DP 5690 | Deltapine DP 90 B | Stoneville ST 132 | TAMCOT CAB-CS | Seedco 9023 | All-Tex Atlas | Deltapine DP 5415 RR | Deltapine DP 5415 | Assoc. Farmers Delinting | OTHER | TOTAL |
|-------|-------------------------|--------------------|---------------------|----------------------|----------------------|----------------------|------------------|----------------|------------------|-------------------------|----------------------|--------------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| TEXAS | 23.70 | 17.89 | 8.42 | 7.01 | 5.30 | 4.19 | 3.85 | 3.60 | 3.49 | 3.07 | 2.17 | 2.12 | 15.21 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Paymaster PM 2326 RR | Paymaster HS 26 | Paymaster PM 2200 RR | Assoc. Farmers Delinting Explorer | Deltapine DP 2379 | Paymaster PM 2145 RR | All-Tex Atlas | Paymaster HS 200 | Assoc. Farmers Delinting Rocket | Deltapine DP 5415 | Paymaster PM 145 | Deltapine DP 2156 | OTHER | TOTAL |
|-----------------|-------------------------|--------------------|-------------------------|--|----------------------|-------------------------|------------------|---------------------|--|----------------------|---------------------|----------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| TEXAS | 28.03 | 20.95 | 19.56 | 3.92 | 3.92 | 2.85 | 2.61 | 2.60 | 2.49 | 2.44 | 1.79 | 1.77 | 7.07 | 100.00 |
| OFFICE TOTAL 1/ | 28.03 | 20.95 | 19.56 | 3.92 | 3.92 | 2.85 | 2.61 | 2.60 | 2.49 | 2.44 | 1.79 | 1.77 | 7.07 | 100.00 |

NOTE: Totals may not add due to rounding. 1/ Includes small volume from New Mexico and Oklahoma.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Deltapine DP 655 B/RR | Deltapine DP 458 B/RR | Deltapine DP 5690 RR | Deltapine NuCOTN 33 B | Deltapine DP 90 RR | Deltapine DP 5415 RR | Deltapine NuCOTN 35 B | Deltapine DP 90 B | Deltapine Acala 90 | Sure-Grow 125 | AgrEvo FiberMax 989 | Stoneville ST 474 | OTHER | TOTAL |
|------------|--------------------------|--------------------------|-------------------------|--------------------------|-----------------------|-------------------------|--------------------------|----------------------|-----------------------|------------------|---------------------------|----------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| GEORGIA 1/ | 16.20 | 11.30 | 7.82 | 6.93 | 6.86 | 5.04 | 4.59 | 3.57 | 3.12 | 2.94 | 2.78 | 2.65 | 26.20 | 100.00 |

NOTE: Totals may not add due to rounding. 1/ Includes a small volume in Florida.

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Stoneville BXN 47 | Paymaster PM 1220 BG/RR | Stoneville ST 474 | Sure-Grow 125 | Deltapine 51 | Deltapine DP 5111 | Deltapine NuCOTN 33 B | Paymaster PM 1220 RR | Deltapine 50 | Deltapine 20 B | Deltapine 20 | Deltapine DP 5409 | OTHER | TOTAL |
|--------------|----------------------|-------------------------------|----------------------|------------------|-----------------|----------------------|--------------------------|-------------------------|-----------------|-------------------|-----------------|----------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| ARKANSAS | 51.63 | 2.76 | 16.13 | 4.18 | 3.56 | 5.93 | 0.00 | 0.56 | 0.94 | 0.00 | 2.41 | 0.00 | 11.89 | 100.00 |
| MISSISSIPPI | 10.06 | 13.44 | 1.12 | 2.02 | 0.96 | 0.96 | 51.47 | 0.88 | 2.79 | 4.44 | 0.95 | 2.52 | 8.38 | 100.00 |
| MISSISSIPPI | 29.87 | 0.21 | 18.61 | 16.80 | 15.40 | 4.17 | 0.00 | 0.81 | 5.85 | 0.46 | 1.03 | 0.00 | 6.81 | 100.00 |
| TENNESSEE | 10.26 | 40.84 | 2.75 | 1.68 | 0.90 | 4.80 | 0.87 | 6.59 | 1.79 | 4.51 | 1.72 | 4.30 | 19.00 | 100.00 |
| OFFICE TOTAL | 30.26 | 15.30 | 11.44 | 6.30 | 5.41 | 4.84 | 3.33 | 2.62 | 2.52 | 1.86 | 1.76 | 1.56 | 12.79 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Deltapine NuCOTN 33 B | Deltapine NuCOTN 35 B | Deltapine DP 20 B | AgriPro AP 6101 | Sure-Grow 125 | Deltapine DP 5415 | Deltapine DP 5690 RR | Acala 1517-91 | Stoneville ST 474 | Deltapine DP 458 B/RR | Deltapine DP 90 RR | Acala 1517-95 | OTHER | TOTAL |
|--------------|-----------------------------|-----------------------------|----------------------|--------------------|------------------|----------------------|-------------------------|------------------|----------------------|--------------------------|-----------------------|------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| ARIZONA | 31.19 | 9.32 | 5.51 | 5.22 | 4.95 | 4.12 | 4.04 | 0.00 | 3.43 | 1.18 | 2.71 | 0.00 | 28.33 | 100.00 |
| CALIFORNIA | 57.92 | 0.00 | 6.17 | 0.00 | 0.00 | 3.55 | 0.00 | 0.00 | 0.00 | 21.56 | 0.00 | 0.00 | 10.81 | 100.00 |
| NEW MEXICO | 8.01 | 14.34 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 29.70 | 0.00 | 0.95 | 0.00 | 19.96 | 27.03 | 100.00 |
| TEXAS | 28.51 | 28.51 | 0.42 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 8.21 | 0.00 | 0.00 | 34.35 | 100.00 |
| OFFICE TOTAL | 30.27 | 9.86 | 4.83 | 4.23 | 4.01 | 3.55 | 3.27 | 3.04 | 2.78 | 2.53 | 2.20 | 2.04 | 27.37 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 12. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | Deltapine NuCOTN 33 B | Deltapine DP 458 B/RR | Stoneville BXN 47 | Deltapine DP 20 B | Deltapine DP 32 B | Stoneville ST 474 | Deltapine DP 5415 | Deltapine DP 50 B | Stoneville LA 887 | Deltapine DP 90 B | Deltapine DP 5409 | Sure-Grow SG125B | OTHER | TOTAL |
|--------------|--------------------------|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| ARKANSAS | 16.00 | 16.00 | 19.00 | 16.00 | 0.00 | 0.00 | 0.00 | 16.00 | 0.00 | 0.00 | 0.00 | 0.00 | 17.00 | 100.00 |
| LOUISIANA | 35.73 | 8.66 | 8.68 | 6.60 | 5.60 | 5.60 | 4.99 | 4.20 | 3.00 | 2.80 | 2.42 | 2.30 | 9.42 | 100.00 |
| MISSISSIPPI | 25.38 | 49.23 | 0.00 | 14.38 | 2.92 | 0.00 | 0.00 | 0.92 | 0.00 | 0.00 | 0.00 | 3.46 | 3.69 | 100.00 |
| OFFICE TOTAL | 35.21 | 9.65 | 8.65 | 6.91 | 5.46 | 5.40 | 4.81 | 4.31 | 2.89 | 2.70 | 2.33 | 2.29 | 9.41 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1999

| STATE | CPCSD Acala MAXXA | CPCSD Acala GTO MAXXA | Deltapine DP 6211 Acala | Deltapine NuCOTN 33 B | Phytogen PHY 33 Acala | Deltapine DP 6100 Acala | Stoneville BXN 47 | Buttonwillow Research BR 9801 | Deltapine DP 6207 Acala | CPCSD Acala SJ-2 | Sure-Grow 501 | Germain's Acala GC-500 | OTHER | TOTAL |
|------------|----------------------|-----------------------------|-------------------------------|-----------------------------|-----------------------------|-------------------------------|----------------------|-------------------------------------|-------------------------------|---------------------|------------------|---------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| CALIFORNIA | 44.88 | 14.75 | 5.85 | 4.53 | 3.73 | 3.61 | 3.08 | 3.00 | 2.11 | 1.80 | 1.15 | 0.98 | 10.53 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1999

| State | Pima S-7 | Phytogen 57 Pima | Deltapine DP HTO Pima | Pima S-6 | Germain's CH 252 | Conquistador | Deltapine DP White Pima | Olvey & Assoc. OA333 | Misc. | TOTAL |
|---------------|-------------|---------------------|--------------------------|-------------|---------------------|--------------|----------------------------|-------------------------|---------|---------|
| | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent |
| Arizona | 61.61 | - | 27.70 | 3.68 | - | - | 5.52 | 1.49 | - | 100.00 |
| California | 43.38 | 25.89 | 21.18 | - | 9.43 | - | - | - | 0.12 | 100.00 |
| New Mexico | 29.85 | - | - | 59.42 | - | 10.72 | - | - | - | 100.00 |
| Texas | 18.58 | - | - | 69.09 | - | 11.74 | - | - | 0.59 | 100.00 |
| United States | 40.52 | 20.35 | 17.90 | 11.40 | 7.41 | 1.94 | 0.25 | 0.07 | 0.17 | 100.00 |

Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1999

| State | Pima S-7 | Phytogen 57 Pima | Deltapine DP HTO Pima | Pima S-6 | Germain's CH 252 | Conquistador | Deltapine DP White Pima | Olvey & Assoc. OA333 | Misc. | TOTAL |
|---------------|-------------|---------------------|--------------------------|-------------|---------------------|--------------|----------------------------|-------------------------|---------|---------|
| | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent |
| PHOENIX: | | | | | | | | | | |
| AZ | 61.61 | - | 27.70 | 3.68 | - | - | 5.52 | 1.49 | - | 100.00 |
| NM | 29.85 | - | - | 59.42 | - | 10.72 | - | - | - | 100.00 |
| TX | 18.58 | - | - | 69.09 | - | 11.74 | - | - | 0.59 | 100.00 |
| Office total | 30.78 | - | 5.99 | 54.68 | - | 6.99 | 1.19 | - | 0.35 | 100.00 |
| VISALIA | 43.38 | 25.89 | 21.18 | - | 9.43 | - | - | - | 0.12 | 100.00 |
| United States | 40.52 | 20.35 | 17.90 | 11.40 | 7.41 | 1.94 | 0.25 | 0.07 | 0.17 | 100.00 |

